

Index

A

- absorption refrigeration, 212
 - capacity, 214
 - direct fired two stage, 215
 - operating problems, 214
 - operation, 212
- acid dew point, 124
- air compressor
 - air leaks, 179, 183
 - controls, 179, 191
 - intake, 178
 - low pressure blower, 180
 - power, 178
 - pressure, 179
 - screw, 191
 - waste heat, 180
- air conditioning, 233
 - air cleaners, 235
 - air washer, 234
 - coils, 233, 234
 - computation example*, 240, 241, 246, 248, 249
 - enthalpy switchover method, 246
 - outdoor temperature method, 246
 - controls, 233, 236
 - distribution system, 237
 - economizer cycle, 243
 - energy conservation, 238
 - energy recovery through heat exchanger, 250
 - equipment maintenance, 250
 - fans, 233, 234
 - filters, 233
 - formulas, 238
 - humidifiers, 233, 236
 - minimization of conditioned air, 248
 - minimization of exhaust air, 247
 - minimization of makeup air, 247
 - overcooling elimination, 241
 - overheating elimination, 241
 - reduction of hours of operation, 240
 - reheat elimination, 243
 - terminology, 251
- AR, 307
 - analysis, 34, 307
 - calculation references, 29
 - electroplaters, 322
 - example, 306
 - identification, 18, 28
 - paint finishers, 325
 - transmission repair, 320
 - writing, 28
- assessment
 - client selection, 17
 - energy
 - analysis, 39
 - industrial
 - AR, 24
 - benefits, 20
 - data, 69
 - data collection, 33
 - economic incentives, 20
 - introductory meeting, 23
 - liabilities, 20
 - plant tour, 24
 - plant visit, 33
 - plant visit preparation, 69
 - preassessment information, 25
 - process flow diagram, 70
 - SIC, 17
 - tasks and data, 32
 - techniques and tools, 24
 - light meter, 106
 - major tasks, 23
 - methodology, 17
 - See assessment, 19
 - structure, 23
 - types, 19
 - waste
 - client selection, 69

Index

- data, 26
- objectives, 25
- report content, 34

assessment recommendation
See AR, 24

B

ballast, 109
belt, 102
boiler, 117, 131

- blowdown, 122
- combustion, 124
- combustion air blowers, 136
- combustion mixtures, 125
- efficiency, 117, 127
 - blowdown, 123
 - feed water preheat, 122
 - natural gas, 120
 - tips, 118
- fire tube, 117
- flue gas composition, 118
- forced draft, 117
- fuel to air ratio, 127
- hot water, 117
- operation, 117
- performance improvements, 127
- return system
 - high pressure, 134
- scale build-up, 121
- steam, 117
- steam leaks, 133
- steam traps, 133
- water tube, 117

boiler: natural draft, 117
booster pump, 168
brainstorming, 26, 27
burner, 149

- combustion efficiency, 149
- excess air, 151
- nozzle mix, 150
- premix system, 150

C

Carnot cycle, 117
ceiling fan, 142
centrifugal pump

- curve, 171

chiller, 201

- absorption, 213

cleaning, 311
coefficients:convection heat transfer, 261
cogeneration, 154

- cycles, 156
- economics, 154
- gas fired, 155, 159
- high spot evaluation, 158
- oil fired, 159
- savings estimate, 160

combustion

- complete, 124
- efficiency, 126, 127
- incomplete, 125, 126

combustion:air preheat, 138
cooling

- indirect evaporative, 201

cooling coils
See air conditioning coils, 234
cooling system, 201
cooling tower, 202

- atmospheric, 202
- chilled water supply temperature adjustment, 208
- condenser water temperature adjustment, 207
- free cooling, 205, 206
- hot gas defrost, 211
- hyperbolic, 202, 204
- induced draft, 203, 204
- mechanical forced draft, 202, 204
- performance, 207
- variable speed fans, 209

cooling:direct evaporative, 201
cost

- data sources, 30

- labor, 30
 - project, 65
 - software, 31
 - waste, 36
 - cost savings
 - methods, 65
 - See also electricity cost reduction, 75
 - cost:installation, 30
- D
- degreasing, 311
 - demand, 58, 162
 - reduction, 83
 - See also load, 58
 - destratification, 144
 - destratification fan, 141
 - dragout, 308, 310, 322
 - drive
 - variable frequency, 136
- E
- economizer, 121, 138
 - efficiency
 - fuel to steam, 127
 - thermal, 127
 - electric bill, 57, 85
 - components, 57
 - customer charge, 57
 - demand charge, 58
 - electric motor, 90
 - efficiency, 92, 95
 - high efficiency, 93
 - load reduction, 100
 - low load efficiency, 90
 - mechanical drives, 99
 - rewound, 101
 - speed control, 95, 98
 - speed reduction, 99
 - torque, 100
 - two speed, 100
 - electric rate, 57
 - electrical motors
 - idling, 90
 - electrical power
 - components, 78
 - electricity, 75
 - bill reading, 85
 - city tax, 87
 - cost reduction, 75, 106
 - ballast replacement, 108
 - controllers, 107
 - lamp maintenance, 108
 - lamp reduction, 107
 - lamp relocation, 112
 - lamp replacement, 108, 113
 - lights, 106
 - lower usage, 76
 - reflectors retrofit, 111
 - demand charge, 88
 - demand shifting, 89
 - distribution system, 76
 - energy charge, 87
 - gross bill, 86
 - industrial use, 77
 - load factor savings, 81
 - net bill, 87
 - reactive demand charge, 62
 - sales tax, 62
 - service charge, 86
 - electricity:cost reduction:transformers, 77
 - electronic ballast, 109
 - emission reduction
 - aqueous cleaning, 319
 - substitution, 318
 - energy
 - charge, 162
 - electric, 75
 - estimating methods
 - building simulation, 40
 - cooling, 40
 - heating, 39
 - energy bill, 58
 - energy conservation savings calculation, 53
 - energy project
 - financial analysis, 51

Index

- financing, 67
 - capital budget, 67
 - leasing, 68
 - leveraged purchase, 68
 - shared savings, 68
- EPCRA, 20
- equipment
 - air conditioning, 233
- F
- fan
 - ducting, 144
 - efficiency, 175
 - volume control, 176
- fan:area coverage, 142
- fluorescent reflector, 111
- fuel oil
 - adjustment charge, 65
 - rates, 64
 - types, 65
- furnace, 149
 - covers, 153
 - efficiency, 152
 - pressure controls, 152
- G
- garment insulation values, 260
- gas bil
 - terminology, 62
- gas bill, 62
 - metering, 64
 - rate schedule, 62
- gas rate, 62
- gas turbine cycle, 158
- H
- heat, 117
- heat exchanger
 - coil run around system, 274
 - hot oil recovery system, 275
 - plate, 274
 - rotary, 273
 - sealed heat pipe, 274
 - tube, 139
- heat flux generated by various activities, 259
- heat pipe, 139
- heat recovery system, 138
- heat recovery systems, 137
- heat transfer, 148
- heat wheel, 140
- heating
 - comfort, 147
 - electric, 144
 - process, 148
 - radiant, 145
 - applications, 146
 - types, 145
- heating coils
 - See air conditioning coils, 234
- heating systems, 140
- humidification, 234
- HVAC
 - ASHRAE STANDARD 90-1980*, 257
 - design for human comfort, 255
 - dual duct air handling system, 265
 - equipment sizing practices, 253
 - evaporative cooling and air washer, 263
 - factors affecting comfort, 258
 - general types of building heating and cooling, 262
 - humidity control through cooling override, 263
 - hybrid control VAV system, 267
 - multizone air handling unit, 266
 - reduction of capacity by fan/pump slowdown, 254
 - savings maximization, 255
 - single zone direct control, 264
 - sprayed coil dehumidifier, 262
 - standard conditions for comfort, 262
- HVAC systems, 253
- HVLP paint gun, 71, 302
- I
- industrial assessment, 17, 68

instrumentation
 energy, 42
 products and suppliers, 43
 waste, 42
 insulation, 224
 building, 228
 calcium silicate, 230
 cold tanks, 227
 cold water, 226
 dock doors, 228
 economic factors, 230
 finish factors, 230
 glass fiber, 230
 hot tanks, 227
 hot water, 225
 injection mold barrels, 231
 low cost, 229
 mineral wool, 230
 performance, 224
 polyisocyanurate, 230
 process equipment, 230
 standards, 229
 steam, 225
 tanks, 226
 insulation thickness, 224

L

lamp
 fluorescent, 114
 high energy discharge, 114
 incandescent, 114
 lighting, 102
 standards, 103
 technologies, 114
 load, 58
 refrigeration, 162
 load factor, 60, 81
 savings, 81
 system analysis, 82

M

mechanical refrigeration, 216

compression, 216
 condensing pressure, 218
 condensing temperature, 218
 cost reduction, 217
 efficient use, 218
 evaporator pressure, 220
 evaporator temperature, 220
 heat recovery, 222
 hot gas bypass, 223
 multiple compressors, 221
 optimization, 223
 metalworking
 coolant material flow, 310
 process flow diagram, 309
 motor
 See also electric motor, 80
 synchronous, 80
 variable frequency AC, 96
 motor generator set, 102

P

paint application
 high transfer efficiency, 302
 transfer efficiency, 301
 paint gun cleaning, 302
 payback period, 66
 waste, 66
 peak demand, 162
 phase change, 117
 plant survey
 techniques, 19
 pollution prevention
 regulation, 288
 tools, 56
 POTW, 303
 power demand control, 88
 power factor, 77, 86
 correction, 80
 improvements, 79, 81
 psychrometry, 237
 public utility regulatory and policies act:See
 PURPA, 154

Index

publicly owned treatment works:See POTW,
303

pump

- affinity laws, 169
- curve, 172
 - centrifugal, 169
- energy usage, 174
- power requirements, 173
- throttling valve, 172

pumping system curve, 172

PURPA, 154

R

ratchet, 162

reactive power, 86

recuperator, 140

recycling, 295

refrigeration

- See absorption or mechanical refrigeration,
212

S

sheddable load, 84

SIC, 17, 18, 313

solid state DC drives, 98

solvent, 303

- boiling points, 317
- evaporative rates, 317
- halogenated, 317
- loss reduction, 315
- recycling, 314
 - distillation, 314
 - emulsified organics recovery, 314
 - emulsion breaking, 314
 - on-site, 315
 - solids removal, 314
- threshold value limits, 318

solvent recovery unit, 72

source reduction, 295

space heating, 141

standard industrial classification

- See SIC, 17

steam turbine cycle, 159

stratification, 141, 144

T

temperature:flue gas, 139

thermoenergy storage systems, 161

- el analysis, 162

- electric load analysis, 162

- high spot evaluation, 162

U

utility system elements, 61

V

variable speed drive, 95

ventilation, 267

- balance air flows, 270

- design, 271

- heat recovery, 273

- shut off fans, 270

- temperature reduction, 272

- volume reduction, 271

- losses, 268

- air-water mixture, 270

- exhaust, 269

- room air, 268

VOC, 299, 303, 325

voltage discount, 86

W

waste

- aqueous, 292

- assembly, 285

- computation example, 36

- cutting fluid, 27

- fastening, 285

- food processing, 279

- generation, 289

- glass processing, 285

- hazardous, 286

- generation, 289

- generator, 288

- inks, 305
- joining, 285
- leather processing, 285
- management, 289
- mass balancing, 35
- material handling, 304
- metalworking, 279, 308
 - coolant, 308
 - coolant degradation, 311
 - coolant disposal, 311
 - coolant evaporation, 311
- minimization
 - printing, 303
- non-hazardous, 18, 286
- oils, 294
- paint, 293
 - metalworking, 299
- paint stripping, 302
- painting, 299, 301
- paper and pulp manufacturing, 284
- plastic manufacturing, 284
- printing, 280, 299
- process description, 55
- recommendation, 71
- record keeping, 29, 289
- reduction
 - coolant, 309
 - paint, 300
 - painting, 302
 - screen printing, 305
 - solid, 18, 304
 - solvents, 291, 302, 305, 312
 - industries, 313
 - operations, 314
 - regulations, 312
 - storing materials, 304
 - surface cleaning, 282
 - surface coating, 281
 - surface preparation, 282
 - textile processing, 284
 - thinners, 302
 - treatment, 18
 - types, 286
 - wastewater, 304
 - wastewater treatment, 284
- waste minimization
 - hierarchy, 295
 - savings calculation, 54
- waste minimization opportunities
 - See AR, 18
- waste reduction, 26, 289, 296
- wastewater, 300
 - treatment, 18