

Quantum approach to epistemic semantics

Giuseppe Sergioli & Roberto Leporini

Soft Computing

A Fusion of Foundations,
Methodologies and Applications


ISSN 1432-7643

Volume 21

Number 6

Soft Comput (2017) 21:1381-1390

DOI 10.1007/s00500-015-1781-7



Your article is protected by copyright and all rights are held exclusively by Springer-Verlag Berlin Heidelberg. This e-offprint is for personal use only and shall not be self-archived in electronic repositories. If you wish to self-archive your article, please use the accepted manuscript version for posting on your own website. You may further deposit the accepted manuscript version in any repository, provided it is only made publicly available 12 months after official publication or later and provided acknowledgement is given to the original source of publication and a link is inserted to the published article on Springer's website. The link must be accompanied by the following text: "The final publication is available at link.springer.com".

Quantum approach to epistemic semantics

Giuseppe Sergioli¹ · Roberto Leporini²

Published online: 4 August 2015
© Springer-Verlag Berlin Heidelberg 2015

Abstract Quantum information has suggested new forms of quantum logic, called *quantum computational logics*, where *meanings* of sentences are represented by pieces of quantum information (generally, density operators of some Hilbert spaces), which can be stored and transmitted by means of quantum particles. This approach can be applied to a semantic characterization of *epistemic logical operations*, which may occur in sentences like “At time t' Bob knows that at time t Alice knows that the spin-value is up”. Each epistemic agent (say, *Alice*, *Bob*,...) has a characteristic *truth perspective*, corresponding to a particular orthonormal basis of the Hilbert space \mathbb{C}^2 . From a physical point of view, a truth perspective can be associated with an apparatus that allows one to measure a given observable. An important feature that characterizes the knowledge of any agent is the amount of information that is accessible to him/her (technically, a special set of density operators, which also represents the *internal memory* of the agent in question). One can prove that interesting epistemic operations are special examples of quantum channels, which generally are not unitary. The *act of knowing* may involve some intrinsic irreversibility due to possible measurement procedures or to a loss of information

about the environment. We also illustrate some relativistic-like effects that arise in the behavior of epistemic agents.

Keywords Quantum logic · Quantum operations · Epistemic structures

1 Introduction

Quantum information has recently suggested new problems and new investigations in logic. An interesting example concerns an abstract theory of *epistemic logical operations* (like “to know”) developed in a Hilbert space environment (Beltrametti et al. 2012a, b). Most standard approaches to epistemic logics have proposed a quite strong characterization of epistemic operations. In such frameworks, knowledge is generally modeled as a *potential* rather than an *actual* knowledge. Accordingly, a sentence like “Alice knows that the spin-value in the x -direction is up” turns out to have the meaning “Alice *could* know” rather than “Alice *actually* knows”. A consequence of these theories is the unrealistic phenomenon of *logical omniscience* according to which whenever Alice knows a given sentence, then Alice knows *all* the logical consequences thereof. Hence, for instance, knowing the axioms of Euclidean geometry should imply knowing all the theorems of the theory.

A more realistic logical theory of knowledge can be developed in the framework of *quantum computational logics* Dalla Chiara et al. (2005), which are new forms of quantum logic suggested by the theory of *quantum logical gates* in quantum computation. The basic ideas that underlie the semantic characterization of these logics can be sketched as follows. Pieces of quantum information (mathematically represented by density operators of convenient Hilbert spaces) are regarded as possible *meanings* for the sentences of a given

Communicated by M.L. Dalla Chiara, R. Giuntini, E. Negri and S. Smets.

✉ Giuseppe Sergioli
giuseppe.sergioli@gmail.com

Roberto Leporini
roberto.leporini@unibg.it

¹ Dipartimento di Filosofia, Università di Cagliari,
via Is Mirrionis 1, 09123 Cagliari, Italy

² Dipartimento di Ingegneria gestionale, dell'informazione e della produzione, Università di Bergamo, viale Marconi 5,
24044 Dalmine, BG, Italy

formal language. At the same time, the basic logical connectives of this language are interpreted as particular quantum logical gates: unitary quantum operations that transform density operators in a reversible way. Accordingly, any sentence can be imagined as a synthetic logical description of a quantum circuit.

Is it possible and interesting to describe *logical epistemic operations* (say, “At time t Alice knows”) as a special kind of quantum operation? We give a positive answer to this question. The intuitive idea is the following: whenever ρ represents a piece of quantum information (for instance the qubit $|1\rangle$), the operation \mathbf{K}_{a_t} (say, “At time t Alice knows”) transforms ρ into another piece of quantum information $\mathbf{K}_{a_t}\rho$, which lives in the same space of ρ and asserts that “At time t Alice knows ρ ”. Of course, generally, $\mathbf{K}_{a_t}\rho$ and ρ will be different density operators. On this basis, one can study the behavior of nested epistemic operations, like “At time t' Bob knows that at time t Alice knows ρ ” ($\mathbf{K}_{b_{t'}}\mathbf{K}_{a_t}\rho$).

Like any quantum information, also epistemic pieces of information (say, $\mathbf{K}_{a_t}\rho$) may be *true* or *false* or *indeterminate*, where truth values are defined in terms of a natural notion of quantum probability. Conventionally, one can assume that the two elements $|1\rangle$ and $|0\rangle$ of the canonical orthonormal basis of the Hilbert space \mathbb{C}^2 represent in this framework the truth values, *truth* and *falsity*. Accordingly (by application of the Born rule), the probability of being true for a generic qubit $|\psi\rangle = a_0|0\rangle + a_1|1\rangle$ will be the number $\mathbb{P}(|\psi\rangle) = |a_1|^2$. The definition of Born-like probabilities can be canonically extended to all density operators, living in any product space $\underbrace{\mathbb{C}^2 \otimes \dots \otimes \mathbb{C}^2}_{n\text{-times}}$.

The choice of an orthonormal basis for the space \mathbb{C}^2 is, obviously, a matter of convention. One can consider infinitely many bases that are determined by the application of a unitary operator \mathfrak{T} to the elements of the canonical basis. From an intuitive point of view, we can think that the operator \mathfrak{T} gives rise to a change of the *truth perspective*. While the canonical truth perspective is identified with the pair of bits $|1\rangle$ and $|0\rangle$, in the \mathfrak{T} -truth perspective *truth* and *falsity* are identified with the two qubits $\mathfrak{T}|1\rangle$ and $\mathfrak{T}|0\rangle$, respectively. In this framework, it is not strange to guess that different epistemic agents may have different truth perspectives, corresponding to different ideas of *truth* and *falsity*.

From a physical point of view, each truth perspective can be naturally regarded as associated to a physical apparatus that allows one to measure a given observable. As an example, consider a source emitting a pair of photons correlated in polarization in such a way that both photons have the same polarization (say, the horizontal polarization $|H\rangle$ or the vertical polarization $|V\rangle$). Suppose that the two photons are in the entangled state

$$|\psi\rangle = a|H, H\rangle + b|V, V\rangle$$

(with $|a|^2 + |b|^2 = 1$). The orthonormal basis $B = \{|H\rangle, |V\rangle\}$ represents here a particular truth perspective. Let us refer to an observer equipped with a polarizer that detects 45° and 135° polarized photons. The same state $|\psi\rangle$ will be represented by the observer from a different truth perspective, corresponding to the orthonormal basis $B' = \{|45\rangle, |135\rangle\}$. In fact, by applying the transformation

$$|H\rangle = \frac{1}{\sqrt{2}}(|45\rangle - |135\rangle); \quad |V\rangle = \frac{1}{\sqrt{2}}(|45\rangle + |135\rangle),$$

the observer will describe the state $|\psi\rangle$ as

$$|\psi\rangle = \frac{a+b}{2}(|45, 45\rangle + |135, 135\rangle) - \frac{a-b}{2}(|45, 135\rangle + |135, 45\rangle).$$

Notice that a truth perspective change gives rise to a different description of one and the same physical state $|\psi\rangle$.

An important feature that characterizes the knowledge of any agent is represented by the amount of information that is accessible to him/her. Technically, the *epistemic domain* of an agent can be identified with a special set of density operators. From an intuitive point of view, this set can be regarded as the set of pieces of information that our agent is able to *understand* and to *memorize*. The limits of epistemic domains can be used to avoid the unpleasant phenomenon of logical omniscience. One can prove that epistemic operations are not generally unitary. From an intuitive point of view, the *act of knowing* seems to involve some intrinsic irreversibility due to possible measurement procedures or to a loss of information about the environment.

In Sect. 1, we will see how quantum channels are deeply connected with epistemic operations: special examples of irreversible quantum operations that can be used to reach the information stored by density operators. Finally, we will also illustrate some relativistic-like effects that arise in the behavior of epistemic agents.

An abstract study of epistemic operations in a Hilbert space environment may have a double interest:

1. from a logical point of view, such analysis shows how “thinking in a quantum-theoretic way” can contribute to overcome some crucial difficulties of standard epistemic logics.
2. From a physical point of view, this analysis stimulates further investigations about possible correlations between the irreversibility of quantum operations and the kind of “jumps” that seem to characterize acts of knowledge, both in the case of human and of artificial intelligence.

2 Truth perspectives and quantum logical gates

The general mathematical environment is the n -fold tensor product of the Hilbert space \mathbb{C}^2 :

$$\mathcal{H}^{(n)} := \underbrace{\mathbb{C}^2 \otimes \dots \otimes \mathbb{C}^2}_{n\text{-times}},$$

where all pieces of quantum information live. The elements $|1\rangle = (0, 1)$ and $|0\rangle = (1, 0)$ of the canonical orthonormal basis $B^{(1)}$ of \mathbb{C}^2 represent, in this framework, the two classical bits, which can be also regarded as the canonical truth values, *truth* and *falsity*, respectively. The canonical basis of $\mathcal{H}^{(n)}$ is the set

$$B^{(n)} = \left\{ |x_1\rangle \otimes \dots \otimes |x_n\rangle : |x_1\rangle, \dots, |x_n\rangle \in B^{(1)} \right\}.$$

As usual, we will briefly write $|x_1, \dots, x_n\rangle$ instead of $|x_1\rangle \otimes \dots \otimes |x_n\rangle$. By definition, a *qregister* is a unit vector of $\mathcal{H}^{(n)}$. Qregisters thus correspond to pure states, namely to maximal pieces of information about the quantum systems that are supposed to store a given amount of quantum information. We shall also make reference to *mixtures* of qregisters, represented by density operators ρ of $\mathcal{H}^{(n)}$. Of course, qregisters correspond to special cases of density operators. We will denote by $\mathcal{D}(\mathcal{H}^{(n)})$ the set of all density operators of $\mathcal{H}^{(n)}$, while $\mathcal{D} = \bigcup_n \{\mathcal{D}(\mathcal{H}^{(n)})\}$ will represent the set of all possible pieces of quantum information.

As observed in Sect. 1, from an intuitive point of view, a basis change in \mathbb{C}^2 can be regarded as a change of the *truth perspective*. While in the classical case, the truth values, *truth* and *falsity*, are identified with the two classical bits $|1\rangle$ and $|0\rangle$, assuming a different basis corresponds to a different idea of *truth* and *falsity*. Since any basis change in \mathbb{C}^2 is determined by a unitary operator, we can identify a *truth perspective* with a unitary operator \mathfrak{T} of \mathbb{C}^2 . We will write:

$$|1_{\mathfrak{T}}\rangle = \mathfrak{T}|1\rangle; |0_{\mathfrak{T}}\rangle = \mathfrak{T}|0\rangle$$

and assume that $|1_{\mathfrak{T}}\rangle$ and $|0_{\mathfrak{T}}\rangle$ represent, respectively, the truth values, *truth* and *falsity*, of the truth perspective \mathfrak{T} . The *canonical truth perspective* is, of course, determined by the identity operator \mathbb{I} of \mathbb{C}^2 . We will indicate by $B_{\mathfrak{T}}^{(1)}$ the orthonormal basis determined by \mathfrak{T} , while $B_{\mathbb{I}}^{(1)}$ will represent the canonical basis.

Any unitary operator \mathfrak{T} of $\mathcal{H}^{(1)}$ can be naturally extended to a unitary operator $\mathfrak{T}^{(n)}$ of $\mathcal{H}^{(n)}$ (for any $n \geq 1$):

$$\mathfrak{T}^{(n)}|x_1, \dots, x_n\rangle = \mathfrak{T}|x_1\rangle \otimes \dots \otimes \mathfrak{T}|x_n\rangle.$$

Accordingly, any choice of a unitary operator \mathfrak{T} of $\mathcal{H}^{(1)}$ determines an orthonormal basis $B_{\mathfrak{T}}^{(n)}$ for $\mathcal{H}^{(n)}$ such that:

$$B_{\mathfrak{T}}^{(n)} = \left\{ \mathfrak{T}^{(n)}|x_1, \dots, x_n\rangle : |x_1, \dots, x_n\rangle \in B_{\mathbb{I}}^{(n)} \right\}.$$

Instead of $\mathfrak{T}^{(n)}|x_1, \dots, x_n\rangle$ we will also write $|x_{1_{\mathfrak{T}}}, \dots, x_{n_{\mathfrak{T}}}\rangle$.

The elements of $B_{\mathfrak{T}}^{(1)}$ will be called the \mathfrak{T} -bits of $\mathcal{H}^{(1)}$, while the elements of $B_{\mathfrak{T}}^{(n)}$ will represent the \mathfrak{T} -registers of $\mathcal{H}^{(n)}$.

On this ground, the notions of *truth*, *falsity* and *probability* with respect to any truth perspective \mathfrak{T} can be defined in a natural way.

Definition 1 (\mathfrak{T} -true and \mathfrak{T} -false registers)

- $|x_{1_{\mathfrak{T}}}, \dots, x_{n_{\mathfrak{T}}}\rangle$ is a \mathfrak{T} -true register iff $|x_{n_{\mathfrak{T}}}\rangle = |1_{\mathfrak{T}}\rangle$;
- $|x_{1_{\mathfrak{T}}}, \dots, x_{n_{\mathfrak{T}}}\rangle$ is a \mathfrak{T} -false register iff $|x_{n_{\mathfrak{T}}}\rangle = |0_{\mathfrak{T}}\rangle$.

In other words, the \mathfrak{T} -truth value of a \mathfrak{T} -register (which corresponds to a sequence of \mathfrak{T} -bits) is determined by its last element.¹

Definition 2 (\mathfrak{T} -truth and \mathfrak{T} -falsity)

- The \mathfrak{T} -truth of $\mathcal{H}^{(n)}$ is the projection operator ${}^{\mathfrak{T}}P_1^{(n)}$ that projects over the closed subspace spanned by the set of all \mathfrak{T} - true registers;
- the \mathfrak{T} -falsity of $\mathcal{H}^{(n)}$ is the projection operator ${}^{\mathfrak{T}}P_0^{(n)}$ that projects over the closed subspace spanned by the set of all \mathfrak{T} - false registers.

In this way, truth and falsity are dealt with as mathematical representatives of possible physical properties. Accordingly, by applying the Born rule, one can naturally define the probability value of any density operator with respect to the truth perspective \mathfrak{T} .

Definition 3 (\mathfrak{T} -Probability) For any $\rho \in \mathcal{D}(\mathcal{H}^{(n)})$,

$$\mathfrak{p}_{\mathfrak{T}}(\rho) := \text{Tr}({}^{\mathfrak{T}}P_1^{(n)}\rho),$$

where Tr is the trace functional.

We interpret $\mathfrak{p}_{\mathfrak{T}}(\rho)$ as the probability that the information ρ satisfies the \mathfrak{T} -truth.

In the particular case of qubits, we will obviously obtain:

$$\mathfrak{p}_{\mathfrak{T}}(a_0|0_{\mathfrak{T}}\rangle + a_1|1_{\mathfrak{T}}\rangle) = |a_1|^2.$$

¹ As we will see, the application of a classical reversible gate to a register $|x_1, \dots, x_n\rangle$ transforms the (canonical) bit $|x_n\rangle$ into the target bit $|x'_n\rangle$, which behaves as the final truth value. This justifies our choice in Definition 1.

Two truth perspectives \mathfrak{T}_1 and \mathfrak{T}_2 are called *probabilistically equivalent* iff for any density operator ρ , $p_{\mathfrak{T}_1}(\rho) = p_{\mathfrak{T}_2}(\rho)$.

For any choice of a truth perspective \mathfrak{T} , the set \mathfrak{D} of all density operators can be pre-ordered by a relation that is defined in terms of the probability function $p_{\mathfrak{T}}$.

Definition 4 (Preorder) $\rho \leq_{\mathfrak{T}} \sigma$ iff $p_{\mathfrak{T}}(\rho) \leq p_{\mathfrak{T}}(\sigma)$.

This pre-order relation plays an important role in the semantics of quantum computational logics. The *logical consequence* relation between sentences is defined in terms of $\leq_{\mathfrak{T}}$ (see Sect. 4).

As is well known, quantum information is processed by *quantum logical gates* (briefly, *gates*): unitary operators that transform quregisters into quregisters in a reversible way.

In this article, we will consider some well-known quantum gates (Dalla Chiara 2015): the *negation* $\text{NOT}^{(n)}$, the *Toffoli gate* $\text{T}^{(n,m,p)}$, the *controlled-not gate* $\text{XOR}^{(n,m)}$, the *Hadamard-gate* $\sqrt{\text{I}}^{(n)}$ and the *square root of the negation* $\sqrt{\text{NOT}}^{(n)}$ that play a special role both from the computational and the logical point of view.

All gates can be naturally transposed from the canonical truth perspective to any truth perspective \mathfrak{T} . Let $G^{(n)}$ be any gate defined with respect to the canonical truth perspective. The *twin-gate* $G_{\mathfrak{T}}^{(n)}$, defined with respect to the truth perspective \mathfrak{T} , is determined as follows:

$$G_{\mathfrak{T}}^{(n)} := \mathfrak{T}^{(n)} G^{(n)} \mathfrak{T}^{(n)\dagger},$$

where \mathfrak{T}^{\dagger} is the adjoint of \mathfrak{T} .

All \mathfrak{T} -gates, defined on $\mathcal{H}^{(n)}$, can be canonically extended to the set of all density operators of $\mathcal{H}^{(n)}$. Let $G_{\mathfrak{T}}$ be any gate defined on $\mathcal{H}^{(n)}$. The corresponding *unitary quantum operation* $\mathfrak{D}G_{\mathfrak{T}}$ is defined as follows for any $\rho \in \mathfrak{D}(\mathcal{H}^{(n)})$:

$$\mathfrak{D}G_{\mathfrak{T}}\rho = G_{\mathfrak{T}}\rho G_{\mathfrak{T}}^{\dagger}.$$

It is interesting to consider a convenient notion of *distance* between truth perspectives. As is well known, different definitions of distance between vectors can be found in the literature. For our aims, it is convenient to adopt the Fubini study definition of distance between two qubits.

Definition 5 (The Fubini study distance) Let $|\psi\rangle$ and $|\varphi\rangle$ be two qubits.

$$d(|\psi\rangle, |\varphi\rangle) = \frac{2}{\pi} \arccos |\langle\psi|\varphi\rangle|.$$

This notion of distance satisfies the following conditions:

1. $d(|\psi\rangle, |\varphi\rangle)$ is a metric distance;
2. $|\psi\rangle \perp |\varphi\rangle \Rightarrow d(|\psi\rangle, |\varphi\rangle) = 1$;

3. $d(|1\rangle, |1_{Bell}\rangle) = \frac{1}{2}$, where $|1\rangle$ is the canonical truth, while $|1_{Bell}\rangle = \sqrt{\text{I}}^{(1)}|1\rangle = \left(\frac{1}{\sqrt{2}}, -\frac{1}{\sqrt{2}}\right)$ represents the *Bell-truth* (which corresponds to a maximal uncertainty with respect to the canonical truth).

On this ground, one can naturally define the *epistemic distance* between two truth perspectives.

Definition 6 (Epistemic distance) Let \mathfrak{T}_1 and \mathfrak{T}_2 be two truth perspectives.

$$d^{Ep}(\mathfrak{T}_1, \mathfrak{T}_2) = d(|1_{\mathfrak{T}_1}\rangle, |1_{\mathfrak{T}_2}\rangle).$$

In other words, the epistemic distance between the truth perspectives \mathfrak{T}_1 and \mathfrak{T}_2 is identified with the distance between the two qubits that represents the truth value *truth* in \mathfrak{T}_1 and in \mathfrak{T}_2 , respectively.

3 Epistemic operations and epistemic structures

We will now introduce the concepts of (*logical*) *epistemic operation* and of *epistemic structure*.

Definition 7 (Logical) epistemic operation and strong epistemic operation A (*logical*) *epistemic operation* of the space $\mathcal{H}^{(n)}$ with respect to the truth perspective \mathfrak{T} is a map

$$\mathbf{E}_{\mathfrak{T}}^{(n)} : \mathcal{B}(\mathcal{H}^{(n)}) \mapsto \mathcal{B}(\mathcal{H}^{(n)}),$$

where $\mathcal{B}(\mathcal{H}^{(n)})$ is the set of all bounded operators of $\mathcal{H}^{(n)}$. The following conditions are required:

1. $\mathbf{E}_{\mathfrak{T}}^{(n)}$ is associated with an *epistemic domain* $EpD(\mathbf{E}_{\mathfrak{T}}^{(n)})$, which is a subset of $\mathfrak{D}(\mathcal{H}^{(n)})$;
2. for any $\rho \in \mathfrak{D}(\mathcal{H}^{(n)})$, $\mathbf{E}_{\mathfrak{T}}^{(n)}\rho \in \mathfrak{D}(\mathcal{H}^{(n)})$;
3. $\forall \rho \in \mathfrak{D}(\mathcal{H}^{(n)}) : \rho \notin EpD(\mathbf{E}_{\mathfrak{T}}^{(n)}) \Rightarrow \mathbf{E}_{\mathfrak{T}}^{(n)}\rho = \overline{\rho_0}$ (where $\overline{\rho_0}$ is a fixed density operator of $\mathfrak{D}(\mathcal{H}^{(n)})$).

An epistemic operation $\mathbf{E}_{\mathfrak{T}}^{(n)}$ is called *strong* iff $\mathbf{E}_{\mathfrak{T}}^{(n)}\rho \leq_{\mathfrak{T}} \rho$, for any $\rho \in EpD(\mathbf{E}_{\mathfrak{T}}^{(n)})$ (where $\leq_{\mathfrak{T}}$ is the preorder relation defined by Definition 4).

As expected, an intuitive interpretation of $\mathbf{E}_{\mathfrak{T}}^{(n)}\rho$ is the following: “the piece of information ρ is known/believed”. The strong epistemic operation described by $\mathbf{E}_{\mathfrak{T}}^{(n)}$ is limited by a given epistemic domain (which is intended to represent the information accessible to a given agent, or also his/her *memory*, relatively to the space $\mathcal{H}^{(n)}$). Whenever a piece of information ρ does not belong to the epistemic domain of $\mathbf{E}_{\mathfrak{T}}^{(n)}$, then $\mathbf{E}_{\mathfrak{T}}^{(n)}\rho$ collapses into a fixed element $\overline{\rho_0}$ (which may be identified, for instance, with the maximally uncertain information $\frac{1}{2^n} \text{I}^{(n)}$ or with the \mathfrak{T} -falsity $\frac{1}{2^{n-1}} \mathfrak{T}P_0^{(n)}$). At

the same time, whenever ρ belongs to the epistemic domain of $\mathbf{E}_{\mathfrak{T}}^{(n)}$, it seems reasonable to assume that the probability values of ρ and $\mathbf{E}_{\mathfrak{T}}^{(n)}\rho$ are correlated: the probability of the quantum information asserting that “ ρ is known/believed” should always be less than or equal to the probability of ρ . Hence, in particular, we have:

$$p_{\mathfrak{T}}(\mathbf{E}_{\mathfrak{T}}^{(n)}\rho) = 1 \Rightarrow p_{\mathfrak{T}}(\rho) = 1.$$

But generally, not the other way around! In other words, pieces of quantum information that are certainly known are certainly true (with respect to the truth perspective in question).

A strong epistemic operation $\mathbf{E}_{\mathfrak{T}}^{(n)}$ is called *non-trivial* iff for at least one density operator $\rho \in \text{EpD}(\mathbf{E}_{\mathfrak{T}}^{(n)})$, $p_{\mathfrak{T}}(\mathbf{E}_{\mathfrak{T}}^{(n)}\rho) < p_{\mathfrak{T}}(\rho)$. Notice that strong epistemic operations do not generally preserve pure states (Beltrametti et al. 2012a, 2014).

One can prove that non-trivial epistemic operations cannot be represented by unitary quantum operations, being generally irreversible (Beltrametti et al. 2012a). Their behavior is, in a sense, similar to the behavior of measurement operations.

At the same time, some interesting epistemic operations can be represented by the more general notion of *quantum channel* defined below.²

Definition 8 (Quantum channel)³ A quantum channel on $\mathcal{H}^{(n)}$ is a linear map $\mathcal{E}^{(n)}$ from $\mathcal{B}(\mathcal{H}^{(n)})$ to $\mathcal{B}(\mathcal{H}^{(n)})$, such that for some set I of indices there exists a set $\{E_i\}_{i \in I}$ of elements of $\mathcal{B}(\mathcal{H}^{(n)})$ satisfying the following conditions:

1. $\sum_i E_i^\dagger E_i = \mathbb{I}^{(n)}$;
2. $\forall A \in \mathcal{B}(\mathcal{H}^{(n)}) : \mathcal{E}^{(n)}(A) = \sum_i E_i A E_i^\dagger$.

A set $\{E_i\}_{i \in I}$ such that $\sum_i E_i^\dagger E_i = \mathbb{I}^{(n)}$ is usually called a *system of Kraus operators*. One can prove that quantum channels are trace preserving, and hence transform density operators into density operators.

Of course, unitary quantum operations $\mathcal{D}G^{(n)}$ are special cases of quantum channels, for which $\{E_i\}_{i \in I} = \{G^{(n)}\}$. As expected, quantum channels can be defined with respect to any truth perspective \mathfrak{T} .

² Quantum channels represent particular cases of *quantum operations*. The concept of quantum operation is a quite general notion that permits us to represent at the same time *symmetry transformations of quantum states, effects and measurements*. In particular, it has been shown that for *open systems*, interacting with an environment, the Schrödinger equation should be generalized to a superoperator equation, describing how an initial pure state evolves into a mixed state, transformation that has the form of a quantum operation. See, for instance, Chiribella et al. (2008), Fan and Hu (2009).

³ This definition is based on the so-called *Kraus first representation theorem*. See Kraus (1983).

We define now some possible properties of epistemic operations that have a significant logical interest. One is dealing with strong conditions that are generally violated in the real use of our intuitive notion of knowledge.

Definition 9 (Introspection, consistency and monotonicity) A strong epistemic operation $\mathbf{E}_{\mathfrak{T}}^{(n)}$ of $\mathcal{H}^{(n)}$ (with respect to the truth perspective \mathfrak{T}) is called

1. *positively introspective* iff for any $\rho \in \mathcal{D}(\mathcal{H}^{(n)})$:

$$p_{\mathfrak{T}}(\mathbf{E}_{\mathfrak{T}}^{(n)}\rho) \leq p_{\mathfrak{T}}(\mathbf{E}_{\mathfrak{T}}^{(n)}\mathbf{E}_{\mathfrak{T}}^{(n)}\rho).$$

In other words, whenever we know/believe we know/believe that we know/believe.

2. *Negatively introspective* iff for any $\rho \in \mathcal{D}(\mathcal{H}^{(n)})$:

$$p_{\mathfrak{T}}(\mathcal{D}_{\text{NOT}\mathfrak{T}}\mathbf{E}_{\mathfrak{T}}^{(n)}\rho) \leq p_{\mathfrak{T}}(\mathbf{E}_{\mathfrak{T}}^{(n)}\mathcal{D}_{\text{NOT}\mathfrak{T}}\mathbf{E}_{\mathfrak{T}}^{(n)}\rho).$$

In other words, whenever we do not know/believe we know/believe that we do not know/believe.

3. *Probabilistically consistent* iff for any $\rho \in \mathcal{D}(\mathcal{H}^{(n)})$:

$$p_{\mathfrak{T}}(\mathbf{E}_{\mathfrak{T}}^{(n)}\rho) \leq p_{\mathfrak{T}}(\mathcal{D}_{\text{NOT}\mathfrak{T}}\mathbf{E}_{\mathfrak{T}}^{(n)}\mathcal{D}_{\text{NOT}\mathfrak{T}}\rho).$$

In other words, whenever we know/believe an information, we do not know/believe its negation.

4. *monotonic* iff for any $\rho, \sigma \in \mathcal{D}(\mathcal{H}^{(n)})$:

$$p_{\mathfrak{T}}(\rho) \leq p_{\mathfrak{T}}(\sigma) \Rightarrow p_{\mathfrak{T}}(\mathbf{E}_{\mathfrak{T}}^{(n)}\rho) \leq p_{\mathfrak{T}}(\mathbf{E}_{\mathfrak{T}}^{(n)}\sigma).$$

Using the concepts defined above, we can finally introduce the notion of *epistemic quantum computational structure*. From an intuitive point of view, an epistemic quantum computational structure can be described as a system consisting of a set of *epistemic agents* evolving in time [where time is dealt with as a finite sequence of instants (t_1, \dots, t_n)]. Each agent α is characterized by a truth perspective \mathfrak{T}_α , which (for the sake of simplicity) is supposed to be constant in time. At any time t and for any Hilbert space $\mathcal{H}^{(n)}$, each agent is associated with a strong epistemic operation $\mathbf{E}_{\mathfrak{T}_\alpha, \alpha_t}^{(n)}$, whose epistemic domain represents the amount of information that our agent is able to *understand* and to *memorize* at that particular time (relatively to the space $\mathcal{H}^{(n)}$). When ρ belongs to the epistemic domain of $\mathbf{E}_{\mathfrak{T}_\alpha, \alpha_t}^{(n)}$, then the number $p_{\mathfrak{T}_\alpha}(\mathbf{E}_{\mathfrak{T}_\alpha, \alpha_t}^{(n)}\rho)$ represents the probability that agent α at time t knows/believes the quantum information ρ .

Definition 10 (Epistemic quantum computational structure) An *epistemic quantum computational structure* is a system

$$\mathcal{S} = (T, \text{Ag}, \text{Tr Persp}, \mathbf{Inf}, \mathbf{U}, \mathbf{B}, \mathbf{K}),$$

where:

1. T is a time sequence (t_1, \dots, t_n) .
2. Ag is a set of epistemic agents where each agent a is represented as a function of the time t in T . We will write a_t instead of $a(t)$.
3. $TrPersp$ is a map that assigns to any agent a a truth perspective \mathfrak{T}_a (the truth perspective of a).
4. \mathbf{Inf} is a map that assigns to any a_t and to any $n \geq 1$ a map, called (logical) *information operation*

$$\mathbf{Inf}_{\mathfrak{T}_a, a_t}^{(n)} : \mathcal{B}(\mathcal{H}^{(n)}) \mapsto \mathcal{B}(\mathcal{H}^{(n)}),$$

which is an epistemic operation with respect to the truth perspective \mathfrak{T}_a (the truth perspective of agent a).

5. \mathbf{U} is a map that assigns to any a_t and to any $n \geq 1$ a map, called (logical) *understandig operation*

$$\mathbf{U}_{\mathfrak{T}_a, a_t}^{(n)} : \mathcal{B}(\mathcal{H}^{(n)}) \mapsto \mathcal{B}(\mathcal{H}^{(n)}),$$

which is an epistemic operation with respect to the truth perspective \mathfrak{T}_a .

6. \mathbf{B} is a map that assigns to any a_t and to any $n \geq 1$ a map, called (logical) *belief operation*

$$\mathbf{B}_{\mathfrak{T}_a, a_t}^{(n)} : \mathcal{B}(\mathcal{H}^{(n)}) \mapsto \mathcal{B}(\mathcal{H}^{(n)}),$$

which is a strong epistemic operation with respect to the truth perspective \mathfrak{T}_a .

7. \mathbf{K} is a map that assigns to any a_t and to any $n \geq 1$ a map, called (logical) *knowledge operation*

$$\mathbf{K}_{\mathfrak{T}_a, a_t}^{(n)} : \mathcal{B}(\mathcal{H}^{(n)}) \mapsto \mathcal{B}(\mathcal{H}^{(n)}),$$

which is a strong epistemic operation with respect to the truth perspective \mathfrak{T}_a . The following conditions are required:

- (i) $\mathbf{K}_{\mathfrak{T}_a, a_t}^{(n)} \rho \preceq_{\mathfrak{T}} \mathbf{B}_{\mathfrak{T}_a, a_t}^{(n)} \rho$, for any $\rho \in \text{EpD}(\mathbf{K}_{\mathfrak{T}_a, a_t}^{(n)})$;
- (ii) $\mathbf{B}_{\mathfrak{T}_a, a_t}^{(n)} \rho \preceq_{\mathfrak{T}} \mathbf{U}_{\mathfrak{T}_a, a_t}^{(n)} \rho$, for any $\rho \in \text{EpD}(\mathbf{B}_{\mathfrak{T}_a, a_t}^{(n)})$ (where $\preceq_{\mathfrak{T}}$ is the preorder relation defined by Definition 4);
- (iii) $\text{EpD}(\mathbf{K}_{\mathfrak{T}_a, a_t}^{(n)}) \subseteq \text{EpD}(\mathbf{B}_{\mathfrak{T}_a, a_t}^{(n)}) \subseteq \text{EpD}(\mathbf{U}_{\mathfrak{T}_a, a_t}^{(n)}) \subseteq \text{EpD}(\mathbf{Inf}_{\mathfrak{T}_a, a_t}^{(n)})$.

From an epistemic point of view, an agent can be certain to have an uncertain information and vice versa.

4 Quantum noise channels as epistemic operations

We will now illustrate some examples of strong epistemic operations that may be interesting from a physical point of view. One is dealing with special cases of *quantum noise channels*, which can be, generally, obtained from some unitary operators, tracing out the ancillary qubits that describe the environment.

Let α, β, γ be complex numbers such that $|\alpha|^2 + |\beta|^2 + |\gamma|^2 \leq 1$. Consider the following system of Kraus operators:

$$\begin{aligned} E_0 &= \sqrt{1 - |\alpha|^2 - |\beta|^2 - |\gamma|^2} \mathbb{I} \\ E_1 &= |\alpha| \sigma_x \\ E_2 &= |\beta| \sigma_y \\ E_3 &= |\gamma| \sigma_z \end{aligned}$$

(where $\sigma_x, \sigma_y, \sigma_z$ are the three Pauli matrices).

Define ${}^{\alpha, \beta, \gamma} \mathcal{E}^{(1)}$ as follows for any $\rho \in \mathfrak{D}(\mathbb{C}^2)$:

$${}^{\alpha, \beta, \gamma} \mathcal{E}^{(1)} \rho = \sum_{i=0}^3 E_i \rho E_i^\dagger.$$

We have:

$$\begin{aligned} {}^{\alpha, \beta, \gamma} \mathcal{E}^{(1)} \rho &= (1 - |\alpha|^2 - |\beta|^2 - |\gamma|^2) \rho + |\alpha|^2 \sigma_x \rho \sigma_x \\ &\quad + |\beta|^2 \sigma_y \rho \sigma_y + |\gamma|^2 \sigma_z \rho \sigma_z. \end{aligned}$$

One can prove that for any choice of α, β, γ (such that $|\alpha|^2 + |\beta|^2 + |\gamma|^2 \leq 1$), the map ${}^{\alpha, \beta, \gamma} \mathcal{E}^{(1)}$ is a quantum channel of the space \mathbb{C}^2 .

Let us refer to the Bloch-sphere corresponding to $\mathfrak{D}(\mathbb{C}^2)$. Any map ${}^{\alpha, \beta, \gamma} \mathcal{E}^{(1)}$ induces the following vector-transformation (the sphere is deformed into an ellipsoid centered at the origin):

$$\begin{pmatrix} x \\ y \\ z \end{pmatrix} \mapsto \begin{pmatrix} (1 - 2|\beta|^2 - 2|\gamma|^2) x \\ (1 - 2|\alpha|^2 - 2|\gamma|^2) y \\ (1 - 2|\alpha|^2 - 2|\beta|^2) z \end{pmatrix}$$

For particular choices of α, β and γ , one obtains some special cases of quantum channels.

- For $\alpha = \beta = \gamma = 0$, one obtains the identity operator.
- For $\beta = \gamma = 0$, one obtains the *bit-flip channel* ${}^\alpha \mathcal{BF}^{(1)}$ that flips the two canonical bits (represented as the projection operators ${}^\mathbb{I} P_0^{(1)}$ and ${}^\mathbb{I} P_1^{(1)}$) with probability $|\alpha|^2$:

$$\begin{aligned} {}^\mathbb{I} P_0^{(1)} &\mapsto (1 - |\alpha|^2) {}^\mathbb{I} P_0^{(1)} + (|\alpha|^2) {}^\mathbb{I} P_1^{(1)}; \\ {}^\mathbb{I} P_1^{(1)} &\mapsto (1 - |\alpha|^2) {}^\mathbb{I} P_1^{(1)} + (|\alpha|^2) {}^\mathbb{I} P_0^{(1)}. \end{aligned}$$

The sphere is mapped into an ellipsoid with x as symmetry axis:

- For $\alpha = \gamma = 0$, one obtains the *bit-phase-flip channel* ${}^\beta \mathcal{BP}\mathcal{F}^{(1)}$ that flips both bits and phase with probability $|\beta|^2$. The sphere is mapped into an ellipsoid with y as symmetry axis.
- For $\alpha = \beta = 0$, one obtains the *phase-flip channel* ${}^\gamma \mathcal{P}\mathcal{F}^{(1)}$ that flips the phase with probability $|\gamma|^2$. The




Fig. 1 The amplitude damping channel

sphere is mapped into an ellipsoid with z as symmetry-axis.

- For $|\alpha|^2 = |\beta|^2 = |\gamma|^2 = \frac{p}{4}$, one obtains the *depolarizing channel* ${}^p\mathcal{D}^{(1)}$. If $p = 1$, the polarization along any direction is equal to 0. The sphere is contracted by a factor $1 - p$ and the center of the sphere is a fixed point.

Another interesting example is the *generalized amplitude damping* $\mathcal{AD}^{(1)}$ induced by the following system of Kraus operators:

$$E_0 = \sqrt{\lambda} \begin{pmatrix} 1 & 0 \\ 0 & \sqrt{1-p} \end{pmatrix} \quad E_2 = \sqrt{1-\lambda} \begin{pmatrix} \sqrt{1-p} & 0 \\ 0 & 1 \end{pmatrix}$$

$$E_1 = \sqrt{\lambda} \begin{pmatrix} 0 & \sqrt{p} \\ 0 & 0 \end{pmatrix} \quad E_3 = \sqrt{1-\lambda} \begin{pmatrix} 0 & 0 \\ \sqrt{p} & 0 \end{pmatrix},$$

where $\lambda, p \in [0,1]$.

This channel determines the following transformation on the Bloch sphere (see Fig. 1):

$$\begin{pmatrix} x \\ y \\ z \end{pmatrix} \mapsto \begin{pmatrix} \sqrt{1-p} x \\ \sqrt{1-p} y \\ (1-p)z + p(2\lambda - 1) \end{pmatrix}.$$

The channels we have considered above have been defined with respect to the canonical truth perspective \mathbb{I} . However, as expected, they can be naturally transposed to any truth perspective \mathfrak{T} . Given $\mathcal{E}^{(1)}$ such that $\mathcal{E}^{(1)}\rho = \sum_{i=0}^3 E_i \rho E_i^\dagger$, the twin channel $\mathcal{E}_{\mathfrak{T}}^{(1)}$ of $\mathcal{E}^{(1)}$ can be defined as follows:

$$\mathcal{E}_{\mathfrak{T}}^{(1)}\rho := \sum_i \mathfrak{T} E_i \mathfrak{T}^\dagger \rho \mathfrak{T} E_i^\dagger \mathfrak{T}^\dagger.$$

So far, we have only considered quantum channels of the space \mathbb{C}^2 . At the same time, any operation $\mathcal{E}_{\mathfrak{T}}^{(1)}$ (defined on \mathbb{C}^2) can be canonically extended to an operation $\mathcal{E}_{\mathfrak{T}}^{(n)}$ defined on the space $\mathcal{H}^{(n)}$ (for any $n > 1$). Consider a density operator ρ of $\mathcal{H}^{(n)}$ and let $Red^n(\rho)$ represent the reduced state of the n -th subsystem of ρ . We have: $\mathbb{P}_{\mathfrak{T}}(\rho) = \text{Tr}(\mathfrak{T} P_1^{(1)} Red^n(\rho))$. In other words, the \mathfrak{T} -probability of ρ only depends on the \mathfrak{T} -probability of the n -th subsystem of ρ . On this basis, it is reasonable to define $\mathcal{E}_{\mathfrak{T}}^{(n)}$ as follows:

$$\mathcal{E}_{\mathfrak{T}}^{(n)} = \mathbb{I}^{(n-1)} \otimes \mathcal{E}_{\mathfrak{T}}^{(1)}.$$

Notice that, generally, a quantum channel $\mathcal{E}^{(n)}$ does not represent a strong epistemic operation. We may have, for a ρ (which is supposed to belong to the epistemic domain):

$$\mathbb{P}_{\mathbb{I}}(\alpha \mathcal{BF}^{(1)}\rho) \not\leq \mathbb{P}_{\mathbb{I}}(\rho),$$

against the definition of strong epistemic operation.

At the same time, by convenient choices of the epistemic domains, our quantum channels can be transformed into strong epistemic operations.

Definition 11 (A bit-flip epistemic operation $\alpha \mathbf{KBF}_{\mathfrak{T}}^{(n)}$) Let $\alpha \neq 0$. Define $\alpha \mathbf{KBF}_{\mathfrak{T}}^{(n)}$ as follows:

1. $EpD(\alpha \mathbf{KBF}_{\mathfrak{T}}^{(n)}) \subseteq D = \{\rho \in \mathcal{D}(\mathcal{H}^{(n)}) \mid \mathbb{P}_{\mathfrak{T}}(\rho) \geq \frac{1}{2}\}$. In other words, an agent (whose strong epistemic operation is $\alpha \mathbf{KBF}_{\mathfrak{T}}^{(n)}$) only understands pieces of information that are not “too far from the truth”.
2. $\rho \in EpD(\alpha \mathbf{KBF}_{\mathfrak{T}}^{(n)}) \Rightarrow \alpha \mathbf{KBF}_{\mathfrak{T}}^{(n)}\rho = \alpha \mathcal{BF}_{\mathfrak{T}}^{(n)}\rho$.

Theorem 1 (Dalla Chiara 2015)

- (i) Any $\alpha \mathbf{KBF}_{\mathfrak{T}}^{(n)}$ is a strong epistemic operation. In particular, $\alpha \mathbf{KBF}_{\mathfrak{T}}^{(n)}$ is a non-trivial epistemic operation if there exists at least one $\rho \in EpD(\alpha \mathbf{KBF}_{\mathfrak{T}}^{(n)})$ such that $\mathbb{P}_{\mathfrak{T}}(\rho) > \frac{1}{2}$.
- (ii) the set D is the maximal set such that the corresponding $\alpha \mathbf{KBF}_{\mathfrak{T}}^{(n)}$ is a strong epistemic operation.
- (iii) Let $|\alpha|^2 \leq \frac{1}{2}$ and let $EpD(\alpha \mathbf{KBF}_{\mathfrak{T}}^{(n)}) = D$. The following closure property holds: for any $\rho \in D$, $\alpha \mathbf{KBF}_{\mathfrak{T}}^{(n)}\rho \in D$.

In a similar way, one can define strong epistemic operations that correspond to the phase-flip channel, the bit-phase flip channel, the depolarizing channel and the generalized amplitude-damping channel.

Definition 12 (A phase-flip epistemic operation $\gamma \mathbf{KPF}_{\mathfrak{I}}^{(n)}$)
 Let $\gamma \neq 0$. Define $\gamma \mathbf{KPF}_{\mathfrak{I}}^{(n)}$ as follows:

1. $EpD(\gamma \mathbf{KPF}_{\mathfrak{I}}^{(n)}) \subseteq \mathfrak{D}(\mathcal{H}^{(n)})$.
2. $\rho \in EpD(\gamma \mathbf{KPF}_{\mathfrak{I}}^{(n)}) \Rightarrow \gamma \mathbf{KPF}_{\mathfrak{I}}^{(n)} \rho = \gamma \mathcal{PF}_{\mathfrak{I}}^{(n)} \rho$.

Theorem 2 $\mathfrak{p}_{\mathfrak{I}}(\gamma \mathbf{KPF}_{\mathfrak{I}}^{(n)} \rho) = \mathfrak{p}_{\mathfrak{I}}(\rho)$, for any $\rho \in EpD(\gamma \mathbf{KPF}_{\mathfrak{I}}^{(n)})$. Hence, $\gamma \mathbf{KPF}_{\mathfrak{I}}^{(n)}$ is a trivial epistemic operation.

Proof (i)–(ii) Suppose $\rho \in EpD(\gamma \mathbf{KPF}_{\mathfrak{I}}^{(n)}) \subseteq \mathfrak{D}(\mathcal{H}^{(n)})$. Let us consider $\mathfrak{I}^\dagger Red^n(\rho) \mathfrak{I} = \frac{1}{2}(\mathbf{I} + x\sigma_x + y\sigma_y + z\sigma_z)$. We have $\mathfrak{p}_{\mathfrak{I}}(\gamma \mathbf{KPF}_{\mathfrak{I}}^{(n)} \rho) = \text{Tr}(\mathfrak{I} P_1^{(n)} (\gamma \mathbf{KPF}_{\mathfrak{I}}^{(n)} \rho)) = \text{Tr}(\mathbf{I} P_1^{(1)} \sum_i E_i \mathfrak{I}^\dagger Red^n(\rho) \mathfrak{I} E_i^\dagger) = \frac{1-z}{2} = \mathfrak{p}_{\mathfrak{I}}(\rho)$.

Definition 13 (A bit-phase-flip epistemic operation $\beta \mathbf{KBPF}_{\mathfrak{I}}^{(n)}$) Let $\beta \neq 0$. Define $\beta \mathbf{KBPF}_{\mathfrak{I}}^{(n)}$ as follows:

1. $EpD(\beta \mathbf{KBPF}_{\mathfrak{I}}^{(n)}) \subseteq D = \{\rho \in \mathfrak{D}(\mathcal{H}^{(n)}) \mid \mathfrak{p}_{\mathfrak{I}}(\rho) \geq \frac{1}{2}\}$.
2. $\rho \in EpD(\beta \mathbf{KBPF}_{\mathfrak{I}}^{(n)}) \Rightarrow \beta \mathbf{KBPF}_{\mathfrak{I}}^{(n)} \rho = \beta \mathcal{BPF}_{\mathfrak{I}}^{(n)} \rho$.

Theorem 3 (i) Any $\beta \mathbf{KBPF}_{\mathfrak{I}}^{(n)}$ is a strong epistemic operation. In particular, $\beta \mathbf{KBPF}_{\mathfrak{I}}^{(n)}$ is a non-trivial epistemic operation if there exists at least one $\rho \in EpD(\beta \mathbf{KBPF}_{\mathfrak{I}}^{(n)})$ such that $\mathfrak{p}_{\mathfrak{I}}(\rho) > \frac{1}{2}$.

(ii) the set D is the maximal set such that the corresponding $\beta \mathbf{KBPF}_{\mathfrak{I}}^{(n)}$ is a strong epistemic operation.

(iii) Let $|\beta|^2 \leq \frac{1}{2}$ and let $EpD(\beta \mathbf{KBPF}_{\mathfrak{I}}^{(n)}) = D$. The following closure property holds: for any $\rho \in D$, ${}^\alpha \mathbf{KBF}_{\mathfrak{I}}^{(n)} \rho \in D$.

Proof Similar to the proof of Theorem 1.

Definition 14 (A depolarizing epistemic operation ${}^p \mathbf{KD}_{\mathfrak{I}}^{(n)}$)
 Let $p \neq 0$. Define ${}^p \mathbf{KD}_{\mathfrak{I}}^{(n)}$ as follows:

1. $EpD({}^p \mathbf{KD}_{\mathfrak{I}}^{(n)}) \subseteq D = \{\rho \in \mathfrak{D}(\mathcal{H}^{(n)}) \mid \mathfrak{p}_{\mathfrak{I}}(\rho) \geq \frac{1}{2}\}$.
2. $\rho \in EpD({}^p \mathbf{KD}_{\mathfrak{I}}^{(n)}) \Rightarrow {}^p \mathbf{KD}_{\mathfrak{I}}^{(n)} \rho = {}^p \mathcal{D}_{\mathfrak{I}}^{(n)} \rho$.

Notice that for any truth perspectives \mathfrak{I} , ${}^p \mathcal{D}_{\mathfrak{I}}^{(n)} = {}^p \mathcal{D}_{\mathbf{I}}^{(n)}$.

Theorem 4 (i) Any ${}^p \mathbf{KD}_{\mathfrak{I}}^{(n)}$ is a strong epistemic operation.

In particular, ${}^p \mathbf{KD}_{\mathfrak{I}}^{(n)}$ is a non-trivial epistemic operation if there exists at least one $\rho \in EpD({}^p \mathbf{KD}_{\mathfrak{I}}^{(n)})$, such that $\mathfrak{p}_{\mathfrak{I}}(\rho) > \frac{1}{2}$.

(ii) The set D is the maximal set such that the corresponding ${}^p \mathbf{KD}_{\mathfrak{I}}^{(n)}$ is a strong epistemic operation.

(iii) Let $EpD({}^p \mathbf{KD}_{\mathfrak{I}}^{(n)}) = D$. Then, for any $\rho \in EpD({}^p \mathbf{KD}_{\mathfrak{I}}^{(n)})$, we have: ${}^p \mathbf{KD}_{\mathfrak{I}}^{(n)} \rho \in EpD({}^p \mathbf{KD}_{\mathfrak{I}}^{(n)})$.

Proof (i)–(ii) Suppose $\rho \in EpD({}^p \mathbf{KD}_{\mathfrak{I}}^{(n)}) \subseteq D$. Let us consider $\mathfrak{I}^\dagger Red^n(\rho) \mathfrak{I} = \frac{1}{2}(\mathbf{I} + x\sigma_x + y\sigma_y + z\sigma_z)$. We have $\mathfrak{p}_{\mathfrak{I}}({}^p \mathbf{KD}_{\mathfrak{I}}^{(n)} \rho) = \frac{1-(1-p)z}{2}$. Hence, ${}^p \mathbf{KD}_{\mathfrak{I}}^{(n)} \rho \leq_{\mathfrak{I}} \rho \Leftrightarrow (1-p)z \geq z \Leftrightarrow z \in [-1, 0] \Leftrightarrow \mathfrak{p}_{\mathfrak{I}}(\rho) \geq \frac{1}{2}$. Thus, ${}^p \mathbf{KD}_{\mathfrak{I}}^{(n)}$ is an epistemic operation.

(iii) $\mathfrak{p}_{\mathfrak{I}}({}^p \mathbf{KD}_{\mathfrak{I}}^{(n)} \rho) = \frac{1-(1-p)z}{2} \geq \frac{1}{2}$, since $z \in [-1, 0]$.

Definition 15 (A generalized amplitude-damping epistemic operation ${}^{p,\lambda} \mathbf{KAD}_{\mathfrak{I}}^{(n)}$) Let $p, \lambda \in [0, 1]$. Define ${}^{p,\lambda} \mathbf{KAD}_{\mathfrak{I}}^{(n)}$ as follows:

1. $EpD({}^{p,\lambda} \mathbf{KAD}_{\mathfrak{I}}^{(n)}) \subseteq AD = \{\rho \in \mathfrak{D}(\mathcal{H}^{(n)}) \mid \mathfrak{p}_{\mathfrak{I}}(\rho) \geq 1 - \lambda\}$.
2. $\rho \in EpD({}^{p,\lambda} \mathbf{KAD}_{\mathfrak{I}}^{(n)}) \Rightarrow {}^{p,\lambda} \mathbf{KAD}_{\mathfrak{I}}^{(n)} \rho = {}^{p,\lambda} AD_{\mathfrak{I}}^{(n)} \rho$.

Theorem 5 (i) Any ${}^{p,\lambda} \mathbf{KAD}_{\mathfrak{I}}^{(n)}$ is a strong epistemic operation. In particular, ${}^{p,\lambda} \mathbf{KAD}_{\mathfrak{I}}^{(n)}$ is a non-trivial epistemic operation if there exists at least one $\rho \in EpD({}^{p,\lambda} \mathbf{KAD}_{\mathfrak{I}}^{(n)})$ such that $\mathfrak{p}_{\mathfrak{I}}(\rho) > 1 - \lambda$.

(ii) The set AD is the maximal set such that the corresponding ${}^{p,\lambda} \mathbf{KAD}_{\mathfrak{I}}^{(n)}$ is a strong epistemic operation.

(iii) Let $EpD({}^{p,\lambda} \mathbf{KAD}_{\mathfrak{I}}^{(n)}) = AD$. Then, for any $\rho \in EpD({}^{p,\lambda} \mathbf{KAD}_{\mathfrak{I}}^{(n)})$, we have: ${}^{p,\lambda} \mathbf{KAD}_{\mathfrak{I}}^{(n)} \rho \in EpD({}^{p,\lambda} \mathbf{KAD}_{\mathfrak{I}}^{(n)})$.

Proof (i)–(ii) Suppose $\rho \in EpD({}^{p,\lambda} \mathbf{KAD}_{\mathfrak{I}}^{(n)}) \subseteq AD$. Let us consider $\mathfrak{I}^\dagger Red^n(\rho) \mathfrak{I} = \frac{1}{2}(\mathbf{I} + x\sigma_x + y\sigma_y + z\sigma_z)$. We have $\mathfrak{p}_{\mathfrak{I}}({}^{p,\lambda} \mathbf{KAD}_{\mathfrak{I}}^{(n)} \rho) = \frac{1-(1-p)z-p(2\lambda-1)}{2}$. Hence, ${}^{p,\lambda} \mathbf{KAD}_{\mathfrak{I}}^{(n)} \rho \leq_{\mathfrak{I}} \rho \Leftrightarrow (1-p)z + p(2\lambda-1) \geq z \Leftrightarrow 2\lambda-1 \geq z \Leftrightarrow \mathfrak{p}_{\mathfrak{I}}(\rho) \geq 1 - \lambda$. Thus, ${}^{p,\lambda} \mathbf{KAD}_{\mathfrak{I}}^{(n)}$ is a strong epistemic operation.

(iii) $\mathfrak{p}_{\mathfrak{I}}({}^{p,\lambda} \mathbf{KAD}_{\mathfrak{I}}^{(n)} \rho) = \frac{1-(1-p)z-p(2\lambda-1)}{2} \geq 1 - \lambda$, since $2\lambda - 1 \geq z$.

The following theorem sums up some interesting properties of the strong epistemic operations defined above.

Theorem 6 (i) All strong epistemic operations ${}^\alpha \mathbf{KBF}_{\mathfrak{I}}^{(n)}$, $\gamma \mathbf{KPF}_{\mathfrak{I}}^{(n)}$, $\beta \mathbf{KBPF}_{\mathfrak{I}}^{(n)}$, ${}^p \mathbf{KD}_{\mathfrak{I}}^{(n)}$ are probabilistically consistent.

(ii) All strong epistemic operations ${}^{p,\lambda} \mathbf{KAD}_{\mathfrak{I}}^{(n)}$ with $\lambda \geq \frac{1}{2}$ are probabilistically consistent.

(iii) All strong epistemic operations $\gamma \mathbf{KPF}_{\mathfrak{I}}^{(n)}$ are monotonic, and positively and negatively introspective.

(iv) All strong epistemic operations ${}^\alpha \mathbf{KBF}_{\mathfrak{I}}^{(n)}$ (with $|\alpha|^2 \leq \frac{1}{2}$), $\beta \mathbf{KBPF}_{\mathfrak{I}}^{(n)}$ (with $|\beta|^2 \leq \frac{1}{2}$), ${}^p \mathbf{KD}_{\mathfrak{I}}^{(n)}$, whose epistemic domain is a subset of $D = \{\rho \in \mathfrak{D}(\mathcal{H}^{(n)}) \mid \mathfrak{p}_{\mathfrak{I}}(\rho) \geq \frac{1}{2}\}$ are monotonic.

(v) All strong epistemic operations ${}^{p,\lambda}\mathbf{KAD}_{\mathfrak{T}}^{(n)}$ whose epistemic domain is a subset of $AD = \{\rho \in \mathcal{D}(\mathcal{H}^{(n)}) \mid p_{\mathfrak{T}}(\rho) \geq 1 - \lambda\}$ are monotonic.

Proof Let $\mathbf{K}_{\mathfrak{T}}^{(n)} \in \{\alpha\mathbf{KBF}_{\mathfrak{T}}^{(n)}, \gamma\mathbf{KPF}_{\mathfrak{T}}^{(n)}, \beta\mathbf{KBPF}_{\mathfrak{T}}^{(n)}, {}^p\mathbf{KD}_{\mathfrak{T}}^{(n)}\}$ and suppose that $\mathbf{K}_{\mathfrak{T}}^{(n)}$ is induced by the following Kraus operators:

$$E_0 = \sqrt{1 - |\alpha|^2 - |\beta|^2 - |\gamma|^2} I; \quad E_1 = |\alpha\rangle\sigma_x;$$

$$E_2 = |\beta\rangle\sigma_y; \quad E_3 = |\gamma\rangle\sigma_z.$$

Assume that the fixed element $\overline{\rho}_0$ of our epistemic operations is ${}^{\mathfrak{T}}P_0^{(n)}$. For any $\rho, \rho' \in \mathcal{D}(\mathcal{H}^{(n)})$, we can write: ${}^{\mathfrak{T}}\text{Red}^n(\rho)\mathfrak{T} = \frac{1}{2}(I + x\sigma_x + y\sigma_y + z\sigma_z)$; ${}^{\mathfrak{T}}\text{Red}^n(\rho')\mathfrak{T} = \frac{1}{2}(I + x'\sigma_x + y'\sigma_y + z'\sigma_z)$.

- (i) Let $\rho \in \mathcal{D}(\mathcal{H}^{(n)})$. We have: $\rho \notin \text{EpD}(\mathbf{K}_{\mathfrak{T}}^{(n)}) \Rightarrow p_{\mathfrak{T}}(\mathbf{K}_{\mathfrak{T}}^{(n)}\rho) = 0$; ${}^{\mathfrak{D}}\text{NOT}_{\mathfrak{T}}\rho \notin \text{EpD}(\mathbf{K}_{\mathfrak{T}}^{(n)}) \Rightarrow p_{\mathfrak{T}}({}^{\mathfrak{D}}\text{NOT}_{\mathfrak{T}}\mathbf{K}_{\mathfrak{T}}^{(n)}{}^{\mathfrak{D}}\text{NOT}_{\mathfrak{T}}\rho) = 1$. Otherwise, we obtain: $p_{\mathfrak{T}}({}^{\mathfrak{D}}\text{NOT}_{\mathfrak{T}}\mathbf{K}_{\mathfrak{T}}^{(n)}{}^{\mathfrak{D}}\text{NOT}_{\mathfrak{T}}\rho) = \text{Tr}({}^1P_1^{(1)}\text{NOT}^{(1)}\sum_i (E_i\text{NOT}^{(1)}\mathfrak{T}^{\dagger}\text{Red}^n(\rho)\mathfrak{T}\text{NOT}^{(1)}E_i^{\dagger})\text{NOT}^{(1)}) = \frac{1-(1-2|\alpha|^2-2|\beta|^2)z}{2} = p_{\mathfrak{T}}(\mathbf{K}_{\mathfrak{T}}^{(n)}\rho)$. Consequently: $p_{\mathfrak{T}}(\mathbf{K}_{\mathfrak{T}}^{(n)}\rho) \leq p_{\mathfrak{T}}({}^{\mathfrak{D}}\text{NOT}_{\mathfrak{T}}\mathbf{K}_{\mathfrak{T}}^{(n)}{}^{\mathfrak{D}}\text{NOT}_{\mathfrak{T}}\rho)$.
- (ii) Similarly.
- (iii) By Theorem 2.
- (iv) Let $\rho, \rho' \in \text{EpD}(\mathbf{K}_{\mathfrak{T}}^{(n)})$. Suppose that $|\alpha|^2 + |\beta|^2 = \frac{1}{2}$. Then we have: $p_{\mathfrak{T}}(\mathbf{K}_{\mathfrak{T}}^{(n)}\rho) = p_{\mathfrak{T}}(\mathbf{K}_{\mathfrak{T}}^{(n)}\rho') = \frac{1}{2}$. Otherwise we obtain: $p_{\mathfrak{T}}(\mathbf{K}_{\mathfrak{T}}^{(n)}\rho) \leq p_{\mathfrak{T}}(\mathbf{K}_{\mathfrak{T}}^{(n)}\rho') \Leftrightarrow \frac{1-(1-2|\alpha|^2-2|\beta|^2)z}{2} \leq \frac{1-(1-2|\alpha|^2-2|\beta|^2)z'}{2} \Leftrightarrow \frac{1-z}{2} \leq \frac{1-z'}{2} \Leftrightarrow p_{\mathfrak{T}}(\rho) \leq p_{\mathfrak{T}}(\rho')$.
- (v) Similarly.

Notice that in the general case the monotonicity property can be violated by strong epistemic operations. In fact, the following situation is possible:

- $\rho \preceq_{\mathfrak{T}} \sigma$;
- $\rho \in \text{EpD}(\mathbf{K}_{\mathfrak{T}}^{(n)})$; $\sigma \notin \text{EpD}(\mathbf{K}_{\mathfrak{T}}^{(n)})$;
- $\mathbf{K}_{\mathfrak{T}}^{(n)}\rho \not\preceq_{\mathfrak{T}} \mathbf{K}_{\mathfrak{T}}^{(n)}\sigma$.

Generally, the strong epistemic operations $\alpha\mathbf{KBF}_{\mathfrak{T}}^{(n)}$, $\beta\mathbf{KBPF}_{\mathfrak{T}}^{(n)}$, ${}^p\mathbf{KD}_{\mathfrak{T}}^{(n)}$, ${}^{p,\lambda}\mathbf{KAD}_{\mathfrak{T}}^{(n)}$ are neither positively introspective nor negatively introspective. Suppose, for example, that $\text{EpD}(\mathbf{K}_{\mathfrak{T}}^{(n)}) = \{\mathbf{K}_{\mathfrak{T}}^{(n)}\mathfrak{T}P_1^{(n)}, \mathfrak{T}P_1^{(n)}\}$, where

$$\mathbf{K}_{\mathfrak{T}}^{(n)} \in \{\alpha\mathbf{KBF}_{\mathfrak{T}}^{(n)}, \beta\mathbf{KBPF}_{\mathfrak{T}}^{(n)}, {}^p\mathbf{KD}_{\mathfrak{T}}^{(n)}, {}^{p,\lambda}\mathbf{KAD}_{\mathfrak{T}}^{(n)}\}.$$

By definition of $\mathbf{K}_{\mathfrak{T}}^{(n)}$, we have for any $\rho \in \text{EpD}(\mathbf{K}_{\mathfrak{T}}^{(n)})$: $p_{\mathfrak{T}}(\mathbf{K}_{\mathfrak{T}}^{(n)}\rho) < p_{\mathfrak{T}}(\rho)$. Hence, $p_{\mathfrak{T}}(\mathbf{K}_{\mathfrak{T}}^{(n)}\mathfrak{T}P_1^{(n)}) > p_{\mathfrak{T}}(\mathbf{K}_{\mathfrak{T}}^{(n)}\mathbf{K}_{\mathfrak{T}}^{(n)}\mathfrak{T}P_1^{(n)})$. Thus, $\mathbf{K}_{\mathfrak{T}}^{(n)}$ is not positively introspective. Suppose then that $\text{EpD}(\mathbf{K}_{\mathfrak{T}}^{(n)}) = \{{}^{\mathfrak{D}}\text{NOT}_{\mathfrak{T}}\mathbf{K}_{\mathfrak{T}}^{(n)}\mathfrak{T}P_0^{(n)}\}$. We have: $p_{\mathfrak{T}}({}^{\mathfrak{D}}\text{NOT}_{\mathfrak{T}}\mathbf{K}_{\mathfrak{T}}^{(n)}\mathfrak{T}P_0^{(n)}) > p_{\mathfrak{T}}(\mathbf{K}_{\mathfrak{T}}^{(n)}{}^{\mathfrak{D}}\text{NOT}_{\mathfrak{T}}\mathbf{K}_{\mathfrak{T}}^{(n)}\mathfrak{T}P_0^{(n)})$, where $\mathbf{K}_{\mathfrak{T}}^{(n)}\mathfrak{T}P_0^{(n)} = \mathfrak{T}P_0^{(n)}$. Thus, $\mathbf{K}_{\mathfrak{T}}^{(n)}$ is not negatively introspective.

Truth perspectives are, in a sense, similar to different frames of reference in relativity. Accordingly, one could try and apply a “relativistic” way of thinking to describe how a given agent can “see” the logical behavior of another agent.

As expected, the logical behavior of any agent turns out to depend, in this framework, on two factors:

- his/her idea of *truth* and *falsity*;
- his/her choice of the gates that correspond to the basic logical operations.

Both these factors are, of course, determined by the agent’s truth perspective \mathfrak{T} .

As an example, let us refer to two agents *Alice* and *Bob*, whose truth perspectives are \mathfrak{T}_{Alice} and \mathfrak{T}_{Bob} , respectively. Let $\{|1_{Alice}\rangle, |0_{Alice}\rangle\}$ and $\{|1_{Bob}\rangle, |0_{Bob}\rangle\}$ represent the systems of truth values of our two agents. Furthermore, for any canonical gate ${}^{\mathfrak{D}}G^{(n)}$ (defined with respect to the canonical truth perspective \mathfrak{I}), let ${}^{\mathfrak{D}}G_{Alice}^{(n)}$ and ${}^{\mathfrak{D}}G_{Bob}^{(n)}$ represent the corresponding *twin-gates* for *Alice* and for *Bob*, respectively.

According to the rule assumed in Sect. 2, we have:

$${}^{\mathfrak{D}}G_{Alice}^{(n)} = {}^{\mathfrak{D}}(\mathfrak{T}_{Alice}^{(n)}G^{(n)}\mathfrak{T}_{Alice}^{(n)\dagger}).$$

In a similar way in the case of *Bob*, we will adopt the following conventional terminology.

- When $|1_{Bob}\rangle = a_0|0_{Alice}\rangle + a_1|1_{Alice}\rangle$, we will say that *Alice sees that Bob’s truth is* $a_0|0_{Alice}\rangle + a_1|1_{Alice}\rangle$. In a similar way, for *Bob’s falsity*.
- When ${}^{\mathfrak{D}}G_{Alice}^{(n)} = {}^{\mathfrak{D}}(\mathfrak{T}_{Alice}^{(n)}G^{(n)}\mathfrak{T}_{Alice}^{(n)\dagger})$ and ${}^{\mathfrak{D}}G_{Bob}^{(n)} = {}^{\mathfrak{D}}(\mathfrak{T}_{Bob}^{(n)}G^{(n)}\mathfrak{T}_{Bob}^{(n)\dagger}) = {}^{\mathfrak{D}}G_{1Alice}^{(n)}$ (where ${}^{\mathfrak{D}}G^{(n)}$ and ${}^{\mathfrak{D}}G_{1Alice}^{(n)}$ are canonical gates), we will say that *Alice sees Bob using the gate* ${}^{\mathfrak{D}}G_{1Alice}^{(n)}$ *in place of her gate* ${}^{\mathfrak{D}}G_{Alice}^{(n)}$.
- When ${}^{\mathfrak{D}}G_{Alice}^{(n)} = {}^{\mathfrak{D}}G_{Bob}^{(n)}$ we will say that *Alice and Bob see and use the same gate*, which represents (in their truth perspective) the canonical gate ${}^{\mathfrak{D}}G^{(n)}$.

On this basis, one can conclude that, generally, *Alice sees* a kind of “deformation” in *Bob’s* logical behavior.

In Dalla Chiara (2015), some examples have been discussed.

As another insightful example, consider the behavior of the controlled-not gate described by the following theorem.

Theorem 7 Let \mathfrak{T}_a be the truth perspective of an agent a . If $\mathfrak{D}_{\text{XOR}_{\mathfrak{T}_a}}^{(1,1)} = \mathfrak{D}_{\text{XOR}}^{(1,1)}$, then $\mathfrak{T}_a = e^{i\theta} \mathbb{I}$.

Proof Suppose $\mathfrak{D}_{\text{XOR}_{\mathfrak{T}_a}}^{(1,1)} = \mathfrak{D}_{\text{XOR}}^{(1,1)}$. One can easily show that: $(\mathfrak{T}_a \otimes \mathfrak{T}_a) \text{XOR}^{(1,1)} = \text{XOR}^{(1,1)}(\mathfrak{T}_a \otimes \mathfrak{T}_a)$. Consequently, by standard algebraic calculations we obtain: $\mathfrak{T}_a = e^{i\theta} \mathbb{I}$.

As a consequence, one immediately obtains that two agents a and b can see and use the same XOR-gate only if their truth perspectives \mathfrak{T}_a and \mathfrak{T}_b are probabilistically equivalent.

Moreover, a relativistic way of thinking can also be applied to strong epistemic operations. Alice sees Bob using a phase-flip channel instead of a bit-flip channel as strong epistemic operation. Similarly, some other agent sees Bob's strong epistemic operation acts as a bit-phase-flip channel.

From a logical point of view, examples of epistemic situations as the one we have here investigated can be formally reconstructed in the framework of a *quantum computational semantics* (see Beltrametti et al. 2012b). Let us briefly recall the basic ideas of this approach. We consider an epistemic quantum computational language \mathcal{L}^{Ep} consisting of:

- atomic sentences;
- logical connectives corresponding to the following gates: negation, Toffoli, controlled-not, Hadamard and square root of negation;
- names for epistemic agents (say, Alice, Bob, ...);
- logical epistemic operators, corresponding to (generally irreversible) epistemic operations.

This language can express sentences like “Alice knows that Bob does not know that the spin value in the x -direction is up”. The semantics for \mathcal{L}^{Ep} provides a convenient notion of *model*, whose role is assigning informational meanings to all sentences. Technically, a model of \mathcal{L}^{Ep} is defined as a map Mod that associates to any truth perspective \mathfrak{T} and to any sentence α a density operator $\rho = \text{Mod}_{\mathfrak{T}}(\alpha)$, living in a Hilbert space \mathcal{H}^α , whose dimension depends on the linguistic complexity of α .

On this basis, one can give a natural definition for the concepts of *truth* and of *logical consequence* in terms of the notions of \mathfrak{T} -probability ($\text{p}_{\mathfrak{T}}$) and of \mathfrak{T} -preorder ($\preceq_{\mathfrak{T}}$):

- a sentence α is *true* with respect to a model Mod and to a truth perspective \mathfrak{T} (abbreviated as $\models_{\text{Mod}, \mathfrak{T}} \alpha$) iff $\text{p}_{\mathfrak{T}}(\text{Mod}_{\mathfrak{T}}(\alpha)) = 1$;
- a sentence β is a *logical consequence* of a sentence α (abbreviated as $\alpha \models \beta$) iff for any model Mod and any truth perspective \mathfrak{T} ,

$$\text{Mod}_{\mathfrak{T}}(\alpha) \preceq_{\mathfrak{T}} \text{Mod}_{\mathfrak{T}}(\beta).$$

While truth is obviously dependent on the choice of a truth perspective \mathfrak{T} , one can prove that the notion of logical consequence represents an *absolute* relation that is invariant with respect to truth perspective changes.

Theorem 8 (Beltrametti et al. 2012b) $\alpha \models \beta$ iff for any model Mod , $\text{Mod}_{\mathbb{I}}(\alpha) \preceq_{\mathbb{I}} \text{Mod}_{\mathbb{I}}(\beta)$, where \mathbb{I} is the canonical truth perspective.

On this basis one can conclude that:

- Alice and Bob may have different ideas about the logical connectives, about truth, falsity and probability.
- In spite of these differences, the *reasoning rules* (which are determined by the logical consequence relation) are the same for Alice and for Bob. Apparently, assigning the same interpretation to the logical connectives is not a necessary condition to use the same reasoning rules.

Acknowledgements We would like to thank Enrico Beltrametti, Maria Luisa Dalla Chiara and Roberto Giuntini, who have deeply discussed this paper with us, proposing some useful suggestions. Sergioli's work has been supported by the Italian Ministry of Scientific Research within the FIRB project “Structures and dynamics of knowledge and cognition”, Cagliari unit F21J12000140001 and by Regione Sardegna within the project “Modeling the uncertainty: Quantum Theory and Imaging Processing”; Leporini's work has been supported by the Italian Ministry of Scientific Research within the PRIN project “Automata and Formal Languages: Mathematical Aspects and Applications”.

References

Beltrametti E, Dalla Chiara ML, Giuntini R, Leporini R, Sergioli G (2012) Epistemic quantum computational structures in a Hilbert-space environment. *Fundam Inf* 115:1–14. doi:10.3233/FI-2012-637

Beltrametti E, Dalla Chiara ML, Giuntini R, Sergioli G (2012) Quantum teleportation and quantum epistemic semantics. *Math Slovaca* 62(6):1–24

Beltrametti E, Dalla Chiara ML, Giuntini R, Leporini R, Sergioli G (2014) A quantum computational semantics for epistemic logical operators. Part I: epistemic structures. *Int J Theor Phys* 53(10):3279–3292

Chiribella G, D’Ariano GM, Perinotti P (2008) Transforming quantum operations: quantum supermaps. *Lett J Explor Front Phys* 83:30004-p1–30004-p6

Dalla Chiara ML, Giuntini R, Leporini R (2005) Logics from quantum computation. *Int J Quantum Inf* 3:293–337

Dalla Chiara ML, Giuntini R, Leporini R, Sergioli G (2015) A first-order epistemic quantum computational semantics with relativistic-like epistemic effects. *Fuzzy Sets Syst* (**submitted**)

Fan H, Hu L (2009) Infinite-dimensional Kraus operators for describing amplitude-damping channel and laser process. *Opt Commun* 282:932–935

Kraus K (1983) *Effects and operations states*. Springer, Berlin